

Self Amplified Paging 24 Volt



NTL0401
PROJECTION SPEAKER
- 3 Watt
- Volume control
- Wall or Ceiling mount
- 1/2 power unit



NTL0403
HORN
- 5 Watt
- Volume control
- Indoor/Outdoor
- 1 power unit



NTL0404
HORN
- 15 Watt
- Volume control
- Indoor/Outdoor
- 3 power units



NTL0405
CEILING SPEAKER
- Volume control on grill
- 3 Watt
- 1/2 power unit



NTL750
- 24 Volt DC
- 500 mA
- Supplies 2 power units



NTL7101
- 24 Volt DC
- 1000 mA
- Supplies 4 power units



NTL702.5
- 24 Volt DC
- 2.5 Amp
- Multi-tap
- Supplies 10 power units

SPECIAL NOTE:
Always make sure the power draw from your speaker does not exceed your power source

70 Volt Paging




NTL0471

PROJECTION SPEAKER
 - 10 Watt multi-tap
 - White
 - Wall or Ceiling mount



NTL0471BK

PROJECTION SPEAKER
 - 10 Watt multi-tap
 - Black
 - Wall or Ceiling mount



NTL0472

WALL SPEAKER
 - 10 Watt multi-tap



NTL0473

HORN
 - Plastic ABS
 - 15 Watt multi-tap
 - Indoor / Outdoor



NTL0474

HORN, INDUSTRIAL STRENGTH
 - Metal
 - 30 Watt multi-tap
 - Indoor / Outdoor



NTL0475

CEILING SPEAKER
 - 5 Watt multi-tap



NTL0475V

CEILING SPEAKER
 - 5 Watt multi-tap
 - Volume control



NTL0476

HORN
 - Metal
 - 15 Watt multi-tap
 - Indoor / Outdoor

70 Volt Paging




NTL477

- CEILING SPEAKER**
- 5 Watts multi-tap
 - 6 inch speaker
 - Spring clamp for easy install
 - Includes back box



NTL-EAM10W

- VOLUME CONTROL**
- 10 Watt



NTL0475B

- CEILING SPEAKER MOUNTING BRACKET**
- T Bar supports for drop ceiling



NTL-GBX8

- CEILING SPEAKER COVER**



TPA40

- 40 WATT AMP**
- With background music auto mute
 - Tip and ring input
 - Background music input
 - 70V and 25V output
 - LED level meter



TPA120

- 120 WATT AMP**
- With background music auto mute
 - Tip and ring input
 - Background music input
 - 70V and 25V output
 - LED level meter



TPA240

- 240 WATT AMP**
- With background music auto mute
 - Tip and ring input
 - Background music input
 - 70V and 25V output
 - LED level meter

SPECIAL NOTE:
Always make sure the total wattage of your speakers is 10% lower than your Amp size

Paging Controllers



NTEL800

MULTI-FUNCTION PAGING CONTROLLER

- Pre Amp, signal booster
- Controls page, BGM (Background Music) and ringing
- Connects to phone system page port, unused C.O. port, or single line set
- Night ring tone generator
- 90 Volt direct line/analog extension ring trigger
- Multiple dry contact ring trigger inputs (perfect for Nortel)
- Background music input

8 Zone Paging Controller



NTEL808

8 ZONE PAGING CONTROLLER

- Expandible to 24 zones
- Page individual zones, all zones (all call), or sub groups
- Requires with NTEL800

Paging Controller with Feedback Eliminator



NTEL800DP (Delayed Paging)

UNIVERSAL PAGING CONTROLLER, WITH FEEDBACK CONTROL

- Pre Amp, signal booster
- Controls page, BGM (Background Music) and ringing
- Connects to phone system page port, unused C.O. port, or single line set
- Night ring tone generator
- 90 V direct line/analog extension ring trigger
- Multiple dry contact ring trigger inputs (perfect for Nortel)
- Background music input
- Records and broadcasts page with delay
- Ability to record a second page while the first page is being broadcasted